

Kar-Ping Shum

Correction to the paper “On compressed ideals in topological semigroups”

Czechoslovak Mathematical Journal, Vol. 26 (1976), No. 3, 506

Persistent URL: <http://dml.cz/dmlcz/101422>

Terms of use:

© Institute of Mathematics AS CR, 1976

Institute of Mathematics of the Czech Academy of Sciences provides access to digitized documents strictly for personal use. Each copy of any part of this document must contain these *Terms of use*.



This document has been digitized, optimized for electronic delivery and stamped with digital signature within the project *DML-CZ: The Czech Digital Mathematics Library* <http://dml.cz>

CORRECTION TO THE PAPER
ON COMPRESSED IDEALS IN TOPOLOGICAL SEMIGROUPS¹⁾

KAR-PING SHUM, Hong Kong

(Received October 30, 1975)

In page 263 remarks 1 and 2 are to be superseded by the following:

Remark 1. Let $S = \{0, e_1, e_2, a, b\}$ with the multiplication table

\cdot	0	e_1	e_2	a	b
0	0	0	0	0	0
e_1	0	0	e_1	a	a
e_2	0	0	e_2	0	b
a	0	e_1	e_1	a	a
b	0	e_2	e_2	b	b

The set $B = \{0, e_1, e_2\}$ is a left ideal of S and is clearly completely semi-prime. However, $e_1^2 b^2 = 0 \in B$, but $e_1 b = a_2 \notin B$. So B is not compressed.

Remark 2. The subsets $\{0, e_1, a\}$ and $\{0, e_1, b\}$ are compressed subsets of S , and neither one is an ideal of S .

In page 267, line 13 from the bottom, should read as follows: Thus $K(y) = e_\alpha \Gamma(y) \subset B$, where $K(y) = \bigcap_{n=1}^{\infty} \overline{\{y^i \mid i \geq n\}}$, which is a subgroup of $\Gamma(y)$ if $\Gamma(y)$ is compact.

¹⁾ Czech. Math. J. 25 (100), (1975), 261–273.