

Aplikace matematiky

Věnceslava Šťastnová; Otto Vejvoda

Correction to our paper: “Periodic solutions of the first boundary value problem for a linear and weakly nonlinear heat equation”

Aplikace matematiky, Vol. 14 (1969), No. 3, 241

Persistent URL: <http://dml.cz/dmlcz/103228>

Terms of use:

© Institute of Mathematics AS CR, 1969

Institute of Mathematics of the Academy of Sciences of the Czech Republic provides access to digitized documents strictly for personal use. Each copy of any part of this document must contain these *Terms of use*.



This paper has been digitized, optimized for electronic delivery and stamped with digital signature within the project *DML-CZ: The Czech Digital Mathematics Library* <http://dml.cz>

CORRECTION TO OUR PAPER: "PERIODIC SOLUTIONS
OF THE FIRST BOUNDARY VALUE PROBLEM FOR A LINEAR
AND WEAKLY NONLINEAR HEAT EQUATION".¹⁾

VĚNCESLAVA ŠĚASTNOVÁ, OTTO VEJVODA

We ask the kind reader to change in §§2 and 3 the norm of the space \mathfrak{U} into

$$\|u\| = \sup_{\mathfrak{I} \times \mathfrak{I}} |u(t, x)| + \sup_{\mathfrak{I} \times \mathfrak{I}} |x(\pi - x) \sqrt{t} u_x(t, x)| + \sup_{\mathfrak{I} \times \mathfrak{I}} |x^2(\pi - x)^2 t u_{xx}(t, x)|.$$

The confusion of the correct definition and the introduced one was caused by the following fact. In the original formulation of our result we considered the function φ, h_0, h_1 of class C_2 and then the norm in our paper is adequate. But, then we decided to take the functions φ, h_0, h_1 only continuous and we omitted to replace the formule of the norm in the corresponding manner.

¹⁾ Apl. Mat. 13 (1968), 466—477.