Commentationes Mathematicae Universitatis Carolinae

K. Hnátková

Mathematical and computer modelling of mechanisms regulating blood flow at microcirculation level [Abstract of thesis]

Commentationes Mathematicae Universitatis Carolinae, Vol. 31 (1990), No. 1, 191

Persistent URL: http://dml.cz/dmlcz/106835

Terms of use:

© Charles University in Prague, Faculty of Mathematics and Physics, 1990

Institute of Mathematics of the Academy of Sciences of the Czech Republic provides access to digitized documents strictly for personal use. Each copy of any part of this document must contain these *Terms of use*.



This paper has been digitized, optimized for electronic delivery and stamped with digital signature within the project *DML-CZ: The Czech Digital Mathematics Library* http://project.dml.cz

ABSTRACTS OF CSc. THESES IN MATHEMATICS (Candidatus Scientiarum) defended recently at Charles University, Prague

MATHEMATICAL AND COMPUTER MODELLING OF MECHANISMS REGULATING BLOOD FLOW AT THE MICROCIRCULATION LEVEL K. HNÁTKOVÁ, KKI MFF UK, Malostranské nám. 25, 118 00 Praha 1, Czechoslovakia

(27.2.1989, supervisor M.Malík)

Known mathematical models of blood flow are based on continuous approaches to the description of the flow characteristics and are constructed by the means of differential equations. This thesis introduces a completely new theoretical method. It presents a discrete mathematical theory of the mechanisms of regulating microcirculation. In this theory, the relevant physical laws and relations are introduced in the form of formal axioms.

The created mathematical abstraction has been employed to build computer models of regulating microcirculation. The program implementation is based on asynchronous simulation with event planning.

The results of computer simulation experiments are comparable with the results of direct laboratory measurements. This proves that the created models demonstrate an acceptable degree of equality with the real world.

ON DECIDABILITY OF SKELETAL SETS

NGUYEN XUANG DUNG, Department of cybernetics, University of Hanoi, Hanoi, Vietnam

(27.2.1989, supervisor M.Chytil)

The method of error recovery for parsers of context-free languages introduced by M. Chytil and J. Demner is based on the concept of skeletal set. The quality of recovery depends on the quality of the skeletal set available for given context-free language.

The key problem studied in the dissertation is the question whether a given set of terminal symbols is a skeletal set for the given language. The problem is known to be algorithmically undecidable for general context-free languages. The dissertation deals with important special cases of context-free languages, e.g. regular, linear, and deterministic languages.

ADAPTIVE METHODS OF NUMERICAL QUADRATURE

F. NĚMEC, Ústav pro hydrodynamiku ČSAV, Podbabská 13, 160 00 Praha 6, Czechoslovakia

(11.4.1989, supervisor I.Marek)

Based on the trapezoidal rule, an adaptive method of construction of a hierarchy of meshes of numerical quadrature is proposed and studied. The purpose